RIWAYAT KORESPONDENSI UNTUK PUBLIKASI PADA SOUTH AFRICAN JOURNAL OF INDUSTRIAL ENGINEERING (SAJIE)

No.	Tanggal	Uraian	
1	6 Mei 2013	Mengirim/submit manuskrip artikel pada website Jurnal SAJIE	
2	6 Mei 2013	Ucapan terima kasih dari Editor Jurnal atas pengiriman manuskrip sekaligus menginfokan 'Manuscript URL' dan 'Username' untuk digunakan oleh <i>author</i> (yaitu kita yang men-submit manuskrip artikel jurnal) dalam melacak proses editorial manuskrip yang dikirim. Juga diinfokan tentang pengecekan Bahasa Inggeris, format, dan cek plagiasi. Diinfokan juga tentang pembayaran yang harus dilakukan sebanyak \$250.	
3	10 Mei 2013	Editor Jurnal menginformasikan tentang hasil cek plagiasi terhadap manuskrip yang hasilnya <i>overlap</i> dengan <i>student paper</i> . Editor ingin konfirmasi apakah student paper ini adalah hasil kerja dari salah satu <i>author</i> ?	
4	10 Mei 2013	Diinformasikan kepada Editor Jurnal bahwa <i>student paper</i> yang <i>overlap</i> memang hasil kerja dari salah satu <i>author</i> yang men-submit manuskrip ini.	
5	14 Mei 2013	Editor Jurnal menjawab OK atas informasi yang <i>author</i> berikan terkait <i>overlap</i> pada cek plagiasi.	
6	25 Juli 2013	 Editor Jurnal menginfokan perlu adanya revisi transkrip artikel yang di-submit setelah sudah dilakukan proses review terhadap transkrip ini oleh reviewer. Komen dari reviewer C adalah sebagai berikut: The paper is interesting due to the fact that it focuses in a specific problem that is would be important to tackle the problem of the company. However, it does not confirm to the standard of scientific paper writing. I would like to address my comments in this regards section by section. I. Section 3. Problem formulation In this section the problem is not clearly stated and addressed. Problem is not a problem statement. As a scientific paper, you need to state clearly the problem that you want to address in your research, and then you have to justify with scientific evidence why you call it a problem. Moreover, the research questions you raised under section 3.1 do not conform to research questions. I can see that since your problem statements and research question are not formulated properly, they subsequently make your objective very weak. Moreover, you specific objectives are not in line with your research question even. 2. Section 4: Methodology: The research methodology is mixed with the experiment procedures. I can say that there is no research method, the details of the tools used and how and in what way the observation was used has to be explained well. Result and discussion: The result and discussion is also mixed with the methodology and the experiment procedures. This happened because the methodology is not properly formulated. Section 5.1. The types of distribution stated in Table 1 are not explained. Why you choose a particular probability distribution is not stated. to the fourty you choose a particular probability distribution is not stated. to the fourty you choose a particular probability distribution is not stated to the fourty you choose a particular probability distribution is not stated. to here you properly formulated. Section 5.	

	presented as summarize in	presented as if they are proved with figures and facts. It would be better to summarize in a very brief way and covered then in the future study.		
7	1 September 2013 Revisi man Editor Jurn	Revisi manuskrip sesuai komen dari reviewer dikirimkan kembali ke Editor Jurnal sebagai berikut:		
	Title : CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry			
	Authors : MUHAMMAD M.	ARSUDI, HAI	NI IBRAHIM SHAFEEK	
	Ref. Reviewer C / F	ile No.: 636	-1312-1-RV.docx	
	General Comment:The paper is inter would be importa confirm to the sta comments in this	resting due to ant to tackle t andard of scie regards secti	the fact that it focuses in a specific problem that is the problem of the company. However, it does not entific paper writing. I would like to address my ion by section.	
	Comments		Revision (response to comments)	
	Comments		(Please see the grey color on the main paper)	
	1. Section 3. Problem formulation In this section the problem is not cl and addressed Problem is not	on learly stated	Section 3.1 (Problem formulation) has been revised as follows:	
	and addressed. Problem is not a problem statement. As a scientific paper, you need to state clearly the problem that you want to address in your research, and then you have to justify with scientific evidence why you call it a problem. Moreover, the research questions you raised under section 3.1 do not conform to research standard. Question two and three are not research questions. Rather they are yes/no questions. I can see that since your problem statements and research question are not formulated properly, they subsequently make your objective very weak. Moreover, you specific objectives are not in line with your research question even.		Problem statement has been stated clearly and justified. Research questions (Q. 2 and Q. 3) have been deleted, and the new research questions are formulated. Specific objectives are modified in order to be in line with research questions.	
			a. Problem statement, justification, and research questions. Cycle time is the main issues to be addressed in this case study. Based on our discussion in point 2 above (i.e. literature review), the problem related to the cycle time is very important to be studied. For XX Engineering Sdn. Bhd. in Malaysia, cycle time to produce tipping trailer frame is very critical to be analyzed because:	
			 There is a continuously increasing demand for the company's product from its customer during the last few years. The reducing of the delivery time of the company's product to its customer's hands is very important factor for the company to win the competitiveness from its competitor. All manufacturing industries are profit oriented business. Reduction on production costs is an important factor to get more profit. The payment for workers' salaries is one component of production costs. The use of resources (especially human resources or workers) for production needs to be analyzed. And the resource utilization has a proportional relationship with cycle time [2]. 	

	Refer to the cycle time issues at the company as
	mentioned above, the following questions can be formulated:
	 What is the minimum time needed to produce one unit of tipping trailer frame? How is the resource utilization so far for producing one unit of tipping trailer frame?
	To give more understanding about XX Engineering Sdn. Bhd. company, the detail of its production process flow will be discussed below.
	b. Specific objective: To achieve the goal of the study, the objective of the study needs to be formulated. The objective of the study in this paper was to analyze manufacturing cycle time and resource utilization issues at the studied company (i.e. XX Engineering Sdn. Bhd.).
2. Section 4: Methodology:	Section 4 (Methodology) has been revised as
The research methodology is mixed with the experiment procedures. I can say that there is	follows:
no research method in this paper. You need to clearly state the methodology as a separate section, not mixing with the procedures of the experiment. The sampling method, the details of the tools used and how and in what way the observation was used has to be explained well.	Research methodology is separated with the experiment procedures. Some part of discussion at the previous Methodology (before being revised) is moved to be a part of discussion at Experiment Procedure. Sampling method, tools used and how and to what way the observation was used has been explained.
	4. Methodology
	To accomplish the objectives, the flowchart of methodology was shown in Figure 2. Generally, the first methodology was stopwatch time study to identify processing time at each workstation, and then the second methodology was to use Arena simulation for identifying the time needed to produce one unit of product and also to identify the utilization of resources at production lines.
	Start Input all task time data at each workstation sto produce a toping trailer frame Identify process flow and workstation to produce a toping trailer frame Input all task time data at each workstation Identify resources (workers and equipments) at each workstation Imput all task time data at each workstation Collect task time data randomly at each workstation Build, verify, and validation process of Areas immutation model Task time data at each workstation Wanufacturing cycle time and resource tilization Task time data at each workstation Janufacturing cycle time and resource tilization Figures 2. Flowschart of mathodology Stop
	rigure 2. Frowenant of methodology

Process Joh, Workstations, and resources at the workstations were identified by direct observation which was followed by self investigation such as interviewing and discussion to the relevant person. This relevant person could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a head of production department or it could be a shead of production department or it could be a head of production department on the spee of production in the spee of productions, resources and probability at each workstation were needed to build area simulation model. This model was verified by using the running process of the model was conducted by comparing the output of the existing system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stepwatch Time Study	
workstations were identified by affect observation with was followed by self investigation such as interviewing and discussion to the relevant person could be a head of production department or it could be a head of production department or it could be a shop floor worker or others. And task time data at each workstation was also need to be collected randomly by using stopwatch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using Input Analyzer of Arena. All information about process flow, workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena model was conducted by comparing the output of the real system and the model output of the real system and the model output of the existing system. Finally: based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	Process flow, workstations, and resources at the
$N' = \left(\frac{2u\sqrt{N\Sigma x^2 - (\Sigma x)^2}}{\Sigma x}\right)^2$ $N' = \left(2u\sqrt{N\Sigma x^2 - ($	workstations were identified by direct
investigation such as interviewing and discussion to the relevant person. This relevant person could be a head of production department or it could be a shop floor worker or others. And task time data at each vorkstation was also need to be collected randomly by using stopwarch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using Input Analyzer of Arena. All information about process flow, workstations, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system. Finally, based on the output of the real system and the model output of the real system. Finally, based on the output of the real system. Finally, based and the single following assumption to define the problem:	observation which was followed by self
to the relevant person. This relevant person could be a head of production department or it could be a shor floor worker or others. And task time data at each workstation was also need to be collected randomly by using stopwarch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using [Input Analyzer of Arena. All information about process flow, workstations, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	investigation such as interviewing and discussion
be a head of production department or it could be a shop floor worker or others. And task time data at each workstation was also need to be collected randomly by using stopwatch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using Input Analyzer of Arena. All information about process flow, workstations resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the real system. Finally, based on the output of the real system and the model output of the real system. Finally, based on the output of the real system and the model output of the real system. In the Arena simulation in this study was run for 7 days and by using the following assumption to define the problem:	to the relevant person. This relevant person could
he a shop floor worker or others. And task timedata at each workstation was also need to becollected randomly by using stopwatch timestudy. After the task time data at eachworkstation has been known. It was used todetermine the type of probability timedistribution at each workstation. This processwas done by using liput Analyser of Arena. Allinformation about process flow, workstations,resources and probability at each workstationwere needed to build Arena simulation model.This model was verified by using the runningprocedure in Arena module. The validationprocess of the model was conducted bycomparing the output of the resisting system. Finally,based on the output of there alsystem and themodel output of the existing system. Finally,based on the output of there alsystem and themodel output of the existing system. Finally,based on the output of there alsystem and themodel output of the existing system. Finally,based on the output of the resisting system. Finally,based on the output of the resisting system. Finally,based on the output of the resisting system. Finally,based on the output of the existing system. Finally,based on the output of the existing system. Finally,based on the output of the resisting system. Finally,based on the output of the activity system. Finally,based on the output of the resisting system. Finally,based as using the following assumption todefine the problement	be a head of production department or it could
data at each workstation was also need to be collected randomly by using stopwatch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using Input Analyzer of Arena. All information about process flow, workstations, resources and probability at each workstation model about process flow, workstations, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the real system and the model output of Arena simulation model. manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	be a shop floor worker or others. And task time
collected randomly by using stopwatch time study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using linput Analyzer of Arena. All information about process flow, workstations, resources and probability of a each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, mamfacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	data at each workstation was also need to be
study. After the task time data at each workstation has been known, it was used to determine the type of probability time distribution at each workstation. This process was done by using Input Analyzer of Arena. All information about process [low, workstations, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model output of the rat system and the model output of the rat system. The following system. The following assumption to define the problem: the following steps are conducted in stopwatch time study: Obtain and record all the information available about the task at each workstation. Break down the task into precise elements. Record the times for each task elements. 	collected randomly by using stopwatch time
$N'' = \left(\frac{20\sqrt{N\Sigma x^2 - (\Sigma x)^2}}{\Sigma x}\right)^2$ $N' = \left(20\sqrt{N\Sigma x^2 - $	study After the task time data at each
$N' = \left(\frac{20\sqrt{N\sum^2 - (\sum x)^2}}{\sum x}\right)^2$ $\dots (1)$ $N' = \left(\frac{20\sqrt{N\sum^2 - (\sum x)^2}}{\sum x}\right)^2$ $\dots (1)$ $\dots (1)$ $\sum Experiment Procedures$ The following steps are conducted in stopwatch time study: $1. Obtain and record all the information are stop received in the problem: \frac{1}{2} = \frac{1}{2} + \frac{1}{2}$	workstation has been known it was used to
$N' = \left(\frac{2n\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ $\dots (1)$ $N' = \left(\frac{2n\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ $\dots (1)$	determine the type of probability time
was done by using Input Analyzer of Arena. All information about process flow, workstation, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running proceedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	distribution at each workstation. This process
vas aone by using input Analyze's Arend. Aut information about process flow, workstations, resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the real system for 2 days and by using the following assumption to define the problem:	distribution at each workstation. This process
information about process flow, workstations, resources and probability at each workstation model. This model was verified by using the running process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	was aone by using input Analyzer of Arena. All
resources and probability at each workstation were needed to build Arena simulation model. This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	information about process flow, workstations,
were needed to build Arena simulation model. This model was verified by using the running proceedure in Arena module. The validation process of the model was conducted by comparing the output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	resources and probability at each workstation
This model was verified by using the running procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the real system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	were needed to build Arena simulation model.
procedure in Arena module. The validation process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	This model was verified by using the running
process of the model was conducted by comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study 	procedure in Arena module. The validation
$\begin{array}{c} comparing the output of the real system and the model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study \begin{array}{c} \dots \dots$	process of the model was conducted by
model output of the existing system. Finally, based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined.4.1 Stopwatch Time Study	comparing the output of the real system and the
based on the output of Arena simulation model, manufacturing cycle time and resource utilization can be defined. 4.1 Stopwatch Time Study \dots Therefore, there is no relationship between one to other readings. $N' = \left(\frac{20\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ $\dots (1)$ \dots random . 4.2 Arena Simulation Development \dots The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: • 5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements.	model output of the existing system. Finally,
manufacturing cycle time and resource utilization can be defined.4.1 Stopwatch Time Study	based on the output of Arena simulation model,
can be defined. 4.1 Stopwatch Time Study 	manufacturing cycle time and resource utilization
4.1 Stopwatch Time Study	can be defined.
4.1 Stopwatch Time Study 	
$ \begin{array}{c} \dots & Therefore, there is no relationship between one to other readings $	4.1 Stopwatch Time Study
between one to other readings $N' = \left(\frac{20\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ (1) 	Therefore there is no relationship
$N' = \left(\frac{20\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ (1)	between one to other readings
$N' = \left(\frac{20\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ (1)	
$N' = \left(\frac{20\sqrt{N\sum x^2 - (\sum x)^2}}{\sum x}\right)^2$ (1) random 4.2 Arena Simulation Development The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: • 5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	
$N = \left(\begin{array}{c} \hline \Sigma x \end{array} \right)$ (1)(1)	$N' = \left(20\sqrt{N\sum x^2 - (\sum x)^2}\right)^2$
 (1) 	$N = \left(\frac{\sum x}{\sum x} \right)$
 random 4.2 Arena Simulation Development 	\dots (1)
 4.2 Arena Simulation Development 4.2 Arena simulation Development The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: 5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements 	1
 4.2 Arena Simulation Development The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: 	random
The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: • • • • • • • • • • • • • • • • • • •	4.2 Arena Simulation Development
The Arena simulation in this study was run for 7 days and by using the following assumption to define the problem: • 5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task	
days and by using the following assumption to define the problem: • • 5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	The Arena simulation in this study was run for 7
define the problem: • • • • • • • • • • • • • • • • • • •	days and by using the following assumption to
 5. Experiment Procedures The following steps are conducted in stopwatch time study: Obtain and record all the information available about the task at each workstation. Break down the task into precise elements. Record the times for each task elements 	define the problem:
<i>5. Experiment Procedures</i> The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	
 5. Experiment Procedures The following steps are conducted in stopwatch time study: Obtain and record all the information available about the task at each workstation. Break down the task into precise elements. Record the times for each task elements 	•
5. Experiment Procedures The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	
The following steps are conducted in stopwatch time study: 1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	5. Experiment Procedures
1. Obtain and record all the information available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	The following steps are conducted in stopwatch
 Obtain and record all the information available about the task at each workstation. Break down the task into precise elements. a. Record the times for each task elements 	time study:
1. Obtain and record all the information available about the task at each workstation.2. Break down the task into precise elements.a. Record the times for each task elements	
available about the task at each workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	1. Obtain and record all the information
workstation. 2. Break down the task into precise elements. a. Record the times for each task elements	available about the task at each
2. Break down the task into precise elements. a. Record the times for each task elements	workstation.
elements. a. Record the times for each task elements	2. Break down the task into precise
a. Record the times for each task	elements.
e rements	a. Kecord the times for each task elements

 3. Result and discussion: The result and discussion is also mixed with the methodology and the experiment procedures. This happened because the methodology is not properly formulated. a. Section 5.1. The types of distribution stated in Table 1 are not explained. Moreover, assignment of workers to facilities Table 2 also need brief explanation. b. Section 5.3. This section covered many aspects, but mainly related to the findings obtained from the direct observations. But the discussions are presented as if they are proved with figures and facts. It would be better to summarize in a very brief way and covered then in the future study. Assignment of workers to facilities in Table 1 are explained by adding the statement "(in this case a particular probability distribution at each workstation is resulted from the output of Input Analyzer of Arena)". Assignment of workers to facilities in Table 2 is explained briefly in Section 3.2 (i.e. productions follows: Result and discussion has been revised as biclows: Result and discussion has been revised as follows: Result and discussion is separated with the methodology and the experiment procedures. a part of discussion at Experiment Procedure. a. Section 5.1 Section 5.1 and 5.2 at the previous Result and Discussion (before being revised) are changed to be Section 6.1 (Activity Duration of Simulation). The types of distribution stated in Table 1 are explained by adding the statement "(in this case a particular probability distribution at each workstation has been discussed in point 3.2 above (i.e. production process flow)". b. Section 5.3 As suggested, many aspects in Section 5.3 have been summarized briefly and these aspects are planned for future study. One paragraph is added in Section 7 (i.e. Conclusion and Future Study) to cover this issue. 		 b. Repeat step (a) to get 5 individual readings c. Compute the average times for each task elements 3. Sum the average times for each element to develop a total task time at each workstation. 4. Repeat step (2) to step (3) many times until the required sample size is fulfilled.
In this study, there were two steps for constructing	 Result and discussion: The result and discussion is also mixed with the methodology and the experiment procedures. This happened because the methodology is not properly formulated. a. Section 5.1. The types of distribution stated in Table 1 are not explained. Why you choose a particular probability distribution is not stated. Moreover, assignment of workers to facilities Table 2 also need brief explanation. Section 5.3. This section covered many aspects, but mainly related to the findings obtained from the direct observations. But the discussions are presented as if they are proved with figures and facts. It would be better to summarize in a very brief way and covered then in the future study. 	 Result and discussion has been revised as follows: Result and discussion is separated with the methodology and the experiment procedures. Some part of discussion at the previous Result and Discussion (before being revised) is moved to be a part of discussion at Experiment Procedure. a. Section 5.1 Section 5.1 and 5.2 at the previous Result and Discussion (before being revised) are changed to be Section 6.1 (Activity Duration of Workstations) and Section 6.2 (Arena Simulation). The types of distribution stated in Table 1 are explained by adding the statement "(in this case a particular probability distribution at each workstation is resulted from the output of Input Analyzer of Arena)". Assignment of workers to facilities in Table 2 is explained briefly in Section 3.2 (i.e. production process flow). A few modifications have been done to paragraph in Section 3.2 to give a complete explanation about the assignment. Therefore, there is an added statement in Section 6.2: "In this case, the assignment of workers at each workstation has been discussed in point 3.2 above (i.e. production process flow). b. Section 5.3 As suggested, many aspects in Section 5.3 have been summarized briefly and these aspects are planned for future study. One paragraph is added in Section 7 (i.e. Conclusion and Future Study) to cover this issue. <i>In this study, there were two steps for constructing</i>

frame production line. The first one was Structure of Creating and Processing Each Product, and the second one was Structure of Combining Products. The information of each module is described as follows:

In order to create each product (entity) in the simulation model, the Create module was used to generate arrivals of each product. Then this Create module was connected with the Process module. Data that have been collected during stopwatch time study (as mentioned on point 4.1 above) will be used to this Process module. The picture of Create and Process modules were shown in Figure 3. In assembling process, two or more independent products can be assembled together to get one assembled product. For this purpose, the Process and Batch modules were used. The picture of the modules was shown in Figure 4.



Figure 3. Create and Process modules in ARENA



Figure 4. Process and Batch modules in ARENA

6.1 Activity Duration of Workstations

...... (in this case a particular probability distribution at each workstation is resulted from the output of Input Analyzer of Arena),

6.2 ARENA Simulation

7. CONCLUSION AND FUTURE STUDY

	Other than stopwatch time study and Arena
	of tipping trailer frame can be focused on in
	future study. These factors include the employees.
	machines and equipments, and the workstation
	condition factors. The employees' factor consists
	of employee fatigue problems, and unbalanced
	task distribution problem between one to other
	employees. As the employee experiences
	disturbed and a lot more time is taken for the
	product to finish. And based on indirectly
	observation to the company, it indicates that the
	tasks have not been divided in a balanced
	manner according to the age, experience level
	and skills of the employees. Next, old machine
	technology and bad arrangement of
	to be investigated. The old condition of machines
	caused their cutting speed to be slower and this
	situation will increase their operation time. Bad
	arrangement of equipments and tools also cause
	the operators to waste their time to search the
	equipments and tools. Finally, smoke and heat
	resulted from welding activity make an uncomfortable condition of the working area
	This situation is one example for workstation
	condition factor that influences the cycle time of
	tipping trailer frame.
Title : CYCLE TIME ANALYSIS OF Heavy Equipment Industry	F TIPPING TRAILER FRAME: A Case Study at a
Authors : MUHAMMAD MARSUDI, HA	ANI IBRAHIM SHAFEEK
Ref. : File No.: 636-1373-1-RV.0	loc
	Revision (response to comments)
Comments (Reviewer B)	(Please see the blue color on the main
	paper)
1. <u>Section Abstract:</u>	Section Abstract:
resources utilizations were	resources were
2. Section (1. Introduction):	Section Introduction:
• Paragraph 1 line 5:	• Paragraph 1 line 5:
more effectiveness and productive.	more effective and productive.
• Paragraph 1 line 8:	• Paragraph 1 line 8:
always relevant t o be studied.	always relevant.
	• Paragraph 1 line 10:
Horograph lino ();	6 'T

	today <u>is</u> not focused only for <u>on</u>		today is not focused only on
•	Paragraph 1 line 11: but also the cycle time.	•	Paragraph 1 line 11: but also the cycle time.
3. <u>Section (2. Literature Review):</u>		Sect	tion Literature Review:
•	Paragraph 1 line 1: Cycle time is the total time required to produce a product(s) from the beginning to the end of the process.	• [3].	Paragraph 1 line 1: <i>Reference is stated and numbered as</i>
•	Paragraph 1 line 3: These terms include 'Time Line', 'Cycle Time', 'Time to Market', 'Speed', and 'Slip Rate'.	• [4].	Paragraph 1 line 3: <i>Reference is stated and numbered as</i>
•	Paragraph 2 line 1: Japan is the only country that emphasizes the routine use of both cycle-time analysis and process simplification.	• [5].	Paragraph 2 line 1: <i>Reference is stated and numbered as</i>
•	Paragraph 3 line 4: time of an order in most companies is actually less than 5 percent of the order-to- delivery cycle.	• [6].	Paragraph 3 line 4: <i>Reference is stated and numbered as</i>
•	Paragraph 3 line 8: , most companies measure their performance against criteria such as equipment utilization, productivity or order completion date and think they are doing fine if they get high scores.	• [6].	Paragraph 3 line 8: <i>Reference is stated and numbered as</i>
•	Paragraph 4 line 6: However, the technology is still underutilized	•	Paragraph 4 line 6: However, the technology is still underutilized.
•	Paragraph 4 line $24 - 25$: process and proposes a set of real-time location systems (RTLSs)-enabled dispatching rules developed [17]. The quality in a fab	•	Paragraph 4 line 24 – 25: process and proposes a set of real-time location systems (RTLSs) - enabled dispatching rules developed [17]. The quality in a fabrication process
•	Paragraph 5 line 11: The proposed modelling approach has showed to provide more accurate	•	Paragraph 5 line 11: The proposed modelling approach has shown to provide more accurate
•	Paragraph 5 line 15: time and waiting times) for product tote movement	•	Paragraph 5 line 15: time and waiting times) for product totes movement
•	Paragraph 5 line 18: Lina et al.,(2009) had outlined	•	Paragraph 5 line 18: Lina et al., (2009) had outlined
•	Paragraph 6 line 1: Cortesa et al.,(2010) present a real	•	Paragraph 6 line 1: Cortesa et al., (2010) presented a real
•	Paragraph 6 line 9:	•	Paragraph 6 line 9:

stations and the activity of the workers_[23].	stations and the activity of the workers	
4. <u>Section (3.2. Production Process Flow):</u>	Section Production Process Flow:	
• Figure 1. Process flow to produce tipping trailer frame	• The dimension has been added to the beam plate on the bottom-left-hand corner of the diagram.	
• Paragraph 1 line 5: These three main workstations are	• Paragraph 1 line 5: These three main workstations are	
• Paragraph 1 line 8: beam plate (356 X 1556)	• Paragraph 1 line 9: beam plate (356 x 155)	
• Paragraph 1 line 10: After being processed at the cutting station, the components of the main chassis were assembled and welded with the assembly part of plate with king to become the main chassis by worker B. By welding process, beam plate part was assembled with chassis beam 330 x 155 part by one workers (worker C) at bucket frame station. The assembly of beam plate and chassis beam 330 x 155 parts were sent to drilling station. I-beam with holes should be made at this station by one worker (worker E). Lastly, the I-beam with holes will be passed to the bucket frame station. The I-beam with holes will be assembled and welded with side raves 200 x 75 and the beam 100 x 50 x 2438 RCS in this bucket frame station by worker D. By welding process, the main chassis (produced at Main Work Station 1) was assembled with the bucket frame (produced at Main Work Station 2) by worker D. Two stabilizers that have been manufactured at stabilizer station by worker E were fixed into the assembly of main chassis and bucket frame to produce a tipping trailer frame.	 Paragraph 1 line 10: All tenses are changed to be past tense. Relate to the comments of Reviewer 1, a few lines of explanation are added to this paragraph to give more complete information about the assignment of workers to facilities as mentioned in Table 2. Completely, this part of paragraph is modified to be: <i>After being processed at the cutting station, the components of the main chassis were assembled and welded with the assembly part of plate with king to become the main chassis by worker B. By welding process, beam plate 150 x 150 x 300 IB for bucket frame part (prepared by worker C) was assembled with chassis beam 330 x 155 part (prepared by worker C) by one worker (worker D) at bucket frame station. The assembly of beam plate and chassis beam 330 x 155 parts was sent to drilling station. I-beam with holes was made at this station by one worker (worker E). Lastly, the I-beam with holes was passed to the bucket frame station. The I-beam with holes was assembled and welded with side raves 200 x 75 and the beam 100 x 50 x 2438 RCS in this bucket frame station by worker D. By welding process, the main chassis (produced at Main Work Station 1) was assembled with the bucket frame (produced at Main Work Station 2) by worker A at lathing & drilling bush workstation and worker E at tapping bush workstation and worker E at tapping bush workstation) and shaft part (prepared by worker A at stabilizer shaft workstation) were assembled and welded by worker E to be a stabilizer part. Two stabilizers that have been manufactured at</i> 	

 5. Section (3.3. Goal of the Study): Paragraph 1 line 1: XX Engineering Sdn. Bhd. faced continuously increasing Paragraph 1 line 5: the possibility possible improvements of the existing production lines can be exerted executed. 	 fixed into the assembly of main chassis and bucket frame to produce a tipping trailer frame by worker E at assemble of bucket frame main chassis stabilizer floor workstation. Section Goal of the Study: Paragraph 1 line 1: XX Engineering Sdn. Bhd. faced continuously increasing Paragraph 1 line 5: the possible improvements of the existing production lines can be executed.
 6. Section (4.1. Stopwatch Time Study and Direct	 Section Stopwatch Time Study and Direct
Observation/Investigation): Paragraph 2 line 1:	Observation/Investigation: Paragraph 2 line 1:
direct observation/investigation observes.	Relate to the comments of Reviewer C,
reveals other	this part is deleted.
• Paragraph 2 line 5:	• Paragraph 2 line 5:
if the old machine is always make trouble	Relate to the comments of Reviewer C,
and	this part is deleted.
7. <u>Section (4.2. Arena Simulation Development):</u>	Section Arena Simulation Development:
• Paragraph 2 line 4:	• Paragraph 2 line 4:
The "1" indicates that is there	The "1" indicates that is there
• Paragraph 2 line 6:	• Paragraph 2 line 6:
analyze the r esulted resultant data	analyze the resultant data
8. <u>Section (5.2. Arena Simulation):</u>	Section Arena Simulation:
• Figure 4:	 Relate to the comments of Reviewer C, the numbering of Section (5.2. Arena Simulation) is changed to be Section (6.2. Arena Simulation). And the numbering of Figures 4 and 5 are changed to be Figures 5 and 6. Figure 5 (previously is Figure 4): The figure is enlarged.
• The title of Table 2:	• The title of Table 2:
Table 2. The result of Arena simulation in	Table 2. The result of Arena simulation
term terms of cycle time	in terms of cycle time
 Figure 5. The result of Arena simulation	 Figure 6 (previously is Figure 5):
for instantaneous utilization Paragraph 2 line 2:	Vertical axis of the figure is labeled.
running the Arena simulation	• Paragraph 2 line 2:

	munning the Anong simulation
• Paragraph 3 lines 1 – 4:	running the Arena simulation
From Table 2, it can be stated that the highest value added cycle time is at main chassis workstation main chassis which was 13.84 hours The second highest non value added was 22.63 hours at workstation chassis beam 330X155 workstation.	• Paragraph 3 lines 1 – 4: From Table 2, it can be stated that the highest value added cycle time is at main chassis workstation which was 13.84 hours The second highest non value added was 22.63 hours at chassis beam 330 x 155 workstation.
 Paragraph 3 line 5: Both these two highest non-value added stations were located at Main Workstation 2, therefore to improve manufacturing cycle time of this studied production line, this Main Workstation 2 should get more attention than other main workstations. 	• Paragraph 3 line 5: Other statements are added to this sentence to state the specific ways to possibility reducing the non-value adding times, so that: Both these two highest
	• Paragraph 4 line 2: This machine was used at some workstations which were pipe
• Paragraph 4 line 2: This machine was used at some workstations those were pipe	• Paragraph 4 line 8: Other statements are added to these sentences to state and indicate how the improvement of welding machines can be done.
• Paragraph 4 line 8: utilizations, the use of a certain welding machine should not be limited to a certain task only. If possible, this machine also should be used for other tasks so that its utilization can be increased. The same action can be applied for increasing the worker utilization.	utilizations, the use of a certain welding machine should not be limited to a certain task only. If possible, this machine also should be used for other tasks so that its utilization can be increased. This means for example, by referring to Table 2, besides to be used for welding task at Main Chassis workstation, welding machine for Main Chassis is also used for welding task at Assemble of bucket frame main chassis_stabilizer_floor workstation. Based on the simulation result, by doing this action the utilization of welding machine for Main Chassis can be increased from 0.24 (see Figure 5) to 0.41. The same action can be applied for increasing the worker utilizations. As

	an example, if Worker A is assigned to help Worker C to work together at chassis beam 330 x 155 workstation, the utilization of Worker A increases from 0.33 to 0.37.
9. Section (5.3.1.2. Unbalanced task	Section Unbalanced Task Distribution
 distribution): Paragraph 1 line 4: The unbalance unbalanced task Paragraph 1 line 6: has been suggested segregating the operator to a workstation attributable Paragraph 1 line 8: will be responsible Paragraph 1 line 12: skill and experience will deeline reduce the cycle Paragraph 1 line 15: workstation that are appropriate to take in the task. 	 Paragraph 1 lines 4 - 15: Relate to the comments of Reviewer C, this part is deleted and to be summarized to be part of future study.
 10. Section (5.3.2.2. Bad arrangement of equipments and machines): Paragraph 1 line 1: tools cause the operators to waste their time Paragraph 1 line 6: the company is suggested to should arrange Paragraph 1 line 11: prearrange the time to the for the operator to store Paragraph 1 line 16: been cleaned or in dirty condition not. Paragraph 1 line 19: being downed and evenes the forture to 	 <u>Section Bad Arrangement of Equipments</u> and Machines Paragraph 1 lines 1 - 19: Relate to the comments of Reviewer C, this part is deleted and to be summarized to be part of future study.
being damaged and exposes the factory to dangerous condition 11. <u>Section (5.3.3. Problems of the workstation</u>	Section Problems of the Workstation
condition):	Condition
• Paragraph 1 line 6: in a workstation sometimes disturb the nearing nearby station.	 Paragraph 1 lines 6 - 7: Relate to the comments of Reviewer C, this part is deleted and to be summarized to be part of future study.
 Paragraph 1 line 7: such as welding and cutting (used using plasma) 	

	12. Section (Acknowledgements):		Section Acknowledgements	
	Acknowledgements		The acknowledgements title is kept:	
			This paper was funded by Deanship of Scientific Research (DSR), King Abdulaziz University, Jeddah, under grant No. (829- 006-D1433). The authors, therefore, acknowledge with thanks DSR technical and financial support.	
	13. Section (Refere	ences):	Section References	
	References		References has been improved and formatted as per the SAJIE template.	
	2614 2014			
0	20 Marci 2014	sudah sesuai, dan ada juga bahwa: "the paper is impr menginfokan agar alamat ko pada institusi. Info lainnya a staf administrasi Jurnal, sert akan diterbitkan termasuk in	komen dari Reviewer B yang menyatakan roved a lot and well done". Editor juga ontak <i>author</i> diubah menjadi alamat e-mail adalah tentang pembayaran R2000 melalui a info tentang manuskrip artikel yang siap fo format templatenya	
9	26 Maret 2014	Author menyatakan kesediaan kepada Editor Jurnal untuk melakukan pembayaran dan hal-hal lainnya sesegera mungkin sesuai dengan yang diinformasikan oleh Editor Jurnal		
10	26 Maret 2014	Staf administrasi Jurnal mengirimkan data-data terkait pembayaran termasuk invoice dan data bank untuk biaya penerbitan		
11	27 Maret 2014	Staf administrasi Jurnal menginfokan kembali biaya dan invoice yang baru karena data-data pembayaran dan invoice yang diinfokan sebelumnya pada tanggal 26 Maret ada kekeliruan		
12	27 Maret 2014	Editor Jurnal menginfokan bahwa publikasi akan diterbitkan pada Edisi penerbitan Jurnal di bulan Mei 2014		
13	30 Maret 2014	Pembayaran dilakukan ke Jurnal untuk biaya publikasi sebagaimana yang pihak Jurnal tetapkan		
14	5 Mei 2014	Artikel publikasi diterbitkan di Volume 25 (1) – May 2014		

Fw: [SAJIE] Submission Acknowledgement

From: Muhammad Marsudi (muh_marsudi@yahoo.co.uk)

To: hanishafeek@yahoo.com

Date: Monday, 6 May 2013 at 02:53 GMT+8

----- Forwarded Message -----From: Prof Susan Adendorff <susan.adendorff@up.ac.za> To: DR. MUHAMMAD MARSUDI <muh_marsudi@yahoo.co.uk> Sent: Sunday, 5 May 2013, 20:33 Subject: [SAJIE] Submission Acknowledgement

DR. MUHAMMAD MARSUDI:

Thank you for submitting the manuscript, "CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry" to the The South African Journal of Industrial Engineering.

With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Manuscript URL: <u>http://sajie.journals.ac.za/pub/author/submission/636</u> Username: muh marsudi123

Please note that your article will now be reviewed for appropriateness, language usage and formatting. It will also be tested for plagiarism. If accepted, you will be informed and will be required to pay a submission fee before the article is entered into the review process. The current submission fee is R1 000 for South African articles and \$150 for non South African articles.

Once your submission fee has been paid, two reviewers will be appointed to conduct a blind peer review.

You should also note that a publication fee is charged upon final acceptance and final publication. The publication fee is R2 000 for South African articles and \$250 for non South African articles.

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Prof Susan Adendorff The South African Journal of Industrial Engineering

South African Journal of Industrial Engineering http://sajie.journals.ac.za admin@saiie.co.za E-pos vrywaringsklousule

Hierdie e-pos mag vertroulike inligting bevat en mag regtens geprivilegeerd wees en is slegs bedoel vir die persoon aan wie dit geadresseer is. Indien u nie die bedoelde ontvanger is nie, word u hiermee in

kennis gestel dat u hierdie dokument geensins mag gebruik, versprei of kopieer nie. Stel ook asseblief die sender onmiddellik per telefoon in kennis en vee die e-pos uit. Die Universiteit aanvaar nie aanspreeklikheid vir enige skade, verlies of uitgawe wat voortspruit uit hierdie e-pos en/of die oopmaak van enige lês aangeheg by hierdie e-pos nie.

E-mail disclaimer

This e-mail may contain confidential information and may be legally privileged and is intended only for the person to whom it is addressed. If you are not the intended recipient, you are notified that you may not use, distribute or copy this document in any manner whatsoever. Kindly also notify the sender immediately by telephone, and delete the e-mail. The University does not accept liability for any damage, loss or expense arising from this e-mail and/or accessing any files attached to this e-mail.

Re: [SAJIE/636] CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry

From: Susan Adendorff (susan.adendorff@up.ac.za)

To: muh_marsudi@yahoo.co.uk

Date: Tuesday, 14 May 2013 at 03:11 GMT+8

Thank you!

Susan Adendorff



www.up.ac.za

This message and attachments are subject to a disclaimer. Please refer to www.it.up.ac.za/documentation/governance/disclaimer/ for full details. / Hierdie boodskap en aanhangsels is aan 'n vrywaringsklousule onderhewig. Volledige besonderhede is by www.it.up.ac.za/documentation/governance/disclaimer/ beskikbaar.

>>> Muhammad Marsudi <muh_marsudi@yahoo.co.uk> 5/10/2013 9:58 PM >>> Dear Prof,

I inform you that the student paper is the work of mine (as one of the authors of this paper).

Thank you.

Dr. Muhammad Marsudi.

From: Prof Susan Adendorff <susan.adendorff@up.ac.za> To: MUHAMMAD MARSUDI <muh_marsudi@yahoo.co.uk>; HANI SHAFEEK <hanishafeek@yahoo.com> Cc: lynette.pieterse@up.ac.za Sent: Friday, 10 May 2013, 17:21 Subject: [SAJIE/636] CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry

Dear Authors

The plagiarism test conducted on your paper has shown an 84% overlap with a student paper. Could you please confirm whether this student paper is the work of one of the authors and whether it will be referenced properly in the final version of the article?

Thank you

Prof Susan Adendorff Editor:SAJIE

South African Journal of Industrial Engineering <u>http://sajie.journals.ac.za</u>

admin@saiie.co.za E-pos vrywaringsklousule

Hierdie e-pos mag vertroulike inligting bevat en mag regtens geprivilegeerd wees en is slegs bedoel vir die persoon aan wie dit geadresseer is. Indien u nie die bedoelde ontvanger is nie, word u hiermee in kennis gestel dat u hierdie dokument geensins mag gebruik, versprei of kopieer nie. Stel ook asseblief die sender onmiddellik per telefoon in kennis en vee die e-pos uit. Die Universiteit aanvaar nie aanspreeklikheid vir enige skade, verlies of uitgawe wat voortspruit uit hierdie e-pos en/of die oopmaak van enige lês aangeheg by hierdie e-pos nie.

E-mail disclaimer

This e-mail may contain confidential information and may be legally privileged and is intended only for the person to whom it is addressed. If you are not the intended recipient, you are notified that you may not use, distribute or copy this document in any manner whatsoever. Kindly also notify the sender immediately by telephone, and delete the e-mail. The University does not accept liability for any damage, loss or expense arising from this e-mail and/or accessing any files attached to this e-mail.

[SAJIE/636] Editor Decision

From: Prof Susan Adendorff (susan.adendorff@up.ac.za)

To: muh_marsudi@yahoo.co.uk

Cc: hanishafeek@yahoo.com

Date: Friday, 26 July 2013 at 04:39 GMT+8

DR. MUHAMMAD MARSUDI:

We have reached a decision regarding your submission to The South African Journal of Industrial Engineering, "CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry".

Our decision is to: request you to effect the revisions as per the reviews below as well as indicated in the two attachements to this email.

Prof Susan Adendorff University of Pretoria Phone +27124204278 Fax +27124204677 <u>susan.adendorff@up.ac.za</u>

Reviewer C:

Comments

The paper is interesting due to the fact that it focuses in a specific problem that is would be important to tackle the problem of the company. However, it does not confirm to the standard of scientific paper writing. I would like to address my comments in this regards section by section. • 1. Section 3. Problem formulation

In this section the problem is not clearly stated and addressed. Problem is not a problem statement. As a scientific paper, you need to state clearly the problem that you want to address in your research, and then you have to justify with scientific evidence why you call it a problem. Moreover, the research questions you raised under section 3.1 do not conform to research standard. Question two and three are not research questions. Rather they are yes/no questions. I can see that since your problem statements and research question are not formulated properly, they subsequently make your objective very weak. Moreover, you specific objectives are not in line with your

2. Section 4: Methodology:

research question even.

The research methodology is mixed with the experiment procedures. I can say that there is no research method in this paper. You need to clearly state the methodology as a separate section, not mixing with the procedures of the experiment. The sampling method, the details of the tools used and how and in what way the observation was used has to be explained well.

• Result and discussion: The result and discussion is also mixed with the methodology and the experiment procedures. This happened because the methodology is not properly formulated.• Section 5. 1. The types of distribution stated in Table 1 are not explained. Why you choose a

particular probability distribution is not stated. Moreover, assignment of workers to facilities Table 2 also need brief explanation.
Section 5.3. This section covered many aspects, but mainly related to the findings obtained from the direct observations. But the discussions are presented as if they are proved with figures and facts. It would be better to summarize in a very brief way and covered then in the future study.

South African Journal of Industrial Engineering <u>http://sajie.journals.ac.za</u> admin@saiie.co.za

E-pos vrywaringsklousule

Hierdie e-pos mag vertroulike inligting bevat en mag regtens geprivilegeerd wees en is slegs bedoel vir die persoon aan wie dit geadresseer is. Indien u nie die bedoelde ontvanger is nie, word u hiermee in kennis gestel dat u hierdie dokument geensins mag gebruik, versprei of kopieer nie. Stel ook asseblief die sender onmiddellik per telefoon in kennis en vee die e-pos uit. Die Universiteit aanvaar nie aanspreeklikheid vir enige skade, verlies of uitgawe wat voortspruit uit hierdie e-pos en/of die oopmaak van enige lês aangeheg by hierdie e-pos nie.

E-mail disclaimer

This e-mail may contain confidential information and may be legally privileged and is intended only for the person to whom it is addressed. If you are not the intended recipient, you are notified that you may not use, distribute or copy this document in any manner whatsoever. Kindly also notify the sender immediately by telephone, and delete the e-mail. The University does not accept liability for any damage, loss or expense arising from this e-mail and/or accessing any files attached to this e-mail.



636-1312-1-RV.docx 15.2kB

636-1373-1-RV.doc 756.5kB

Re: [SAJIE/636] Editor Decision

From: Muhammad Marsudi (muh_marsudi@yahoo.co.uk)To: susan.adendorff@up.ac.zaDate: Sunday, 1 September 2013 at 14:16 GMT+8

Dear Prof.,

I attach the revision files of our manuscript (' Cycle time analysis of tipping trailer frame: A case study at a heavy equipment industry') as suggested by reviewers.

Thank you Prof. to give us a chance to make revision to this manuscript.

Best regards,

Dr. Marsudi

From: Prof Susan Adendorff <susan.adendorff@up.ac.za> To: DR. MUHAMMAD MARSUDI <muh_marsudi@yahoo.co.uk> Cc: HANI SHAFEEK <hanishafeek@yahoo.com> Sent: Thursday, 25 July 2013, 23:39 Subject: [SAJIE/636] Editor Decision

DR. MUHAMMAD MARSUDI:

We have reached a decision regarding your submission to The South African Journal of Industrial Engineering, "CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry".

Our decision is to: request you to effect the revisions as per the reviews below as well as indicated in the two attachements to this email.

Prof Susan Adendorff University of Pretoria Phone +27124204278 Fax +27124204677 <u>susan.adendorff@up.ac.za</u>

Reviewer C:

Comments

The paper is interesting due to the fact that it focuses in a specific problem that is would be important to tackle the problem of the company. However, it does not confirm to the standard of scientific paper writing. I would like to address my comments in this regards section by section. • 1. Section 3. Problem formulation

In this section the problem is not clearly stated and addressed. Problem is not a problem statement. As a scientific paper, you need to state clearly the problem that you want to address in your research, and then you have to justify with scientific evidence why you call it a problem. Moreover, the research questions you raised under section 3.1 do not conform to research standard. Question two and three are not research questions. Rather they are yes/no questions. I can see that since your problem statements and research question are not formulated properly, they subsequently make your objective very weak. Moreover, you specific objectives are not in line with your research question even.

• 2. Section 4: Methodology:

The research methodology is mixed with the experiment procedures. I can say that there is no research method in this paper. You need to clearly state the methodology as a separate section, not mixing with the procedures of the experiment. The sampling method, the details of the tools used and how and in what way the observation was used has to be explained well.

• Result and discussion: The result and discussion is also mixed with the methodology and the experiment procedures. This happened because the methodology is not properly formulated.• Section 5. 1. The types of distribution stated in Table 1 are not explained. Why you choose a particular probability distribution is not stated. Moreover, assignment of workers to facilities Table 2 also need brief explanation.

• Section 5.3. This section covered many aspects, but mainly related to the findings obtained from the direct observations. But the discussions are presented as if they are proved with figures and facts. It would be better to summarize in a very brief way and covered then in the future study.

South African Journal of Industrial Engineering <u>http://sajie.journals.ac.za</u> admin@saiie.co.za

E-pos vrywaringsklousule

Hierdie e-pos mag vertroulike inligting bevat en mag regtens geprivilegeerd wees en is slegs bedoel vir die persoon aan wie dit geadresseer is. Indien u nie die bedoelde ontvanger is nie, word u hiermee in kennis gestel dat u hierdie dokument geensins mag gebruik, versprei of kopieer nie. Stel ook asseblief die sender onmiddellik per telefoon in kennis en vee die e-pos uit. Die Universiteit aanvaar nie aanspreeklikheid vir enige skade, verlies of uitgawe wat voortspruit uit hierdie e-pos en/of die oopmaak van enige lês aangeheg by hierdie e-pos nie.

E-mail disclaimer

This e-mail may contain confidential information and may be legally privileged and is intended only for the person to whom it is addressed. If you are not the intended recipient, you are notified that you may not use, distribute or copy this document in any manner whatsoever. Kindly also notify the sender immediately by telephone, and delete the e-mail. The University does not accept liability for any damage, loss or expense arising from this e-mail and/or accessing any files attached to this e-mail.



Paper_SAJIE_REVISION.doc 733kB



w

response to reviewer 1.doc 4.1MB

response to reviewer 2.doc 144.5kB

[SAJIE/636] Editor Decision

From: Prof Corné Schutte (corne@sun.ac.za)

- To: mmarsudi@kau.edu.sa
- Cc: muh_marsudi@yahoo.co.uk; hanishafeek@yahoo.com; lynette.pieterse@up.ac.za
- Date: Wednesday, 26 March 2014 at 18:12 GMT+8

DR. MUHAMMAD MARSUDI:

Your article "CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry" has been considered and deemed suitable for publication in The South African Journal of Industrial Engineering. The article will be sent of language (copy) editing.

One aspect needs updating - you need to update the email addresses to institution email addresses (no Yahoo email addresses allowed), before we can publish this. This was due to abuse where an author was misrepresented last year. Can you please update the contact details in the attached paper as per template (also attached), as well as in the record meta-data? The attached paper also includes minor changes suggested.

The publication fee of R2 000 is now payable. An invoice will be sent under separate cover.

Payment should be made to the following bank account:

Bank: ABSA Account holder: SAIIE Account number: 4053529932 Branch number: 632005 SWIFT: ABSAZAJJ

Prof Corne Schutte Editor: SAJIE

Reviewer A:

Reviewer B: The paper is improved a lot and well done.

South African Journal of Industrial Engineering http://sajie.journals.ac.za admin@saiie.co.za

The integrity and confidentiality of this email is governed by these terms / Hierdie terme bepaal die integriteit en vertroulikheid van hierdie epos. <u>http://www.sun.ac.za/emaildisclaimer</u>



636-1775-1-RV-2.doc 730.5kB



SAJIE template 2013.dotx 32.5kB

[SAJIE] #636 CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry

From:	Mrs Lynette Pieterse (lynette.pieterse@up.ac.za)
To:	muh_marsudi@yahoo.co.uk; hanishafeek@yahoo.com

Cc: corne@sun.ac.za

Date: Wednesday, 26 March 2014 at 19:05 GMT+8

Dear Authors

Please find attached invoice and fees can be paid into SAIIE's account (refer to invoice). Please use your Account number and Invoice number as a reference for your payment. Once payment has been made please email the proof of payment through to <u>admin@saiie.co.za</u>.

Kind regards,

Lynette Pieterse SAIIE & SAJIE Administration

South African Journal of Industrial Engineering http://sajie.journals.ac.za admin@saiie.co.za

The integrity and confidentiality of this email is governed by these terms / Hierdie terme bepaal die integriteit en vertroulikheid van hierdie epos. <u>http://www.sun.ac.za/emaildisclaimer</u>

IN100939_publ fee_KAU.pdf 120.1kB

Re: [SAJIE] #636 CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry

From: Muhammad Marsudi (muh_marsudi@yahoo.co.uk)

To: lynette.pieterse@up.ac.za

Date: Thursday, 27 March 2014 at 02:12 GMT+8

Thank you Prof, I will do it soon.

Regards,

Marsudi

On Wednesday, 26 March 2014, 14:05, Mrs Lynette Pieterse <lynette.pieterse@up.ac.za> wrote: Dear Authors

Please find attached invoice and fees can be paid into SAIIE's account (refer to invoice). Please use your Account number and Invoice number as a reference for your payment. Once payment has been made please email the proof of payment through to <u>admin@saiie.co.za</u>.

Kind regards,

Lynette Pieterse SAIIE & SAJIE Administration

South African Journal of Industrial Engineering <u>http://sajie.journals.ac.za</u> <u>admin@saiie.co.za</u>

The integrity and confidentiality of this email is governed by these terms / Hierdie terme bepaal die integriteit en vertroulikheid van hierdie epos. <u>http://www.sun.ac.za/emaildisclaimer</u>

Re: [SAJIE/636] Editor Decision

From: Schutte, Corne, Prof <corne@sun.ac.za> (corne@sun.ac.za)

To: muh_marsudi@yahoo.co.uk

- Cc: Lynette.Pieterse@up.ac.za
- Date: Thursday, 27 March 2014 at 15:25 GMT+8

Marsudi

Thanks – if I can get this by early next week, and the payment is processed, I may be able to get this into the May edition (we have one or two skots open in this edition.)

We noticed a mistake in the email sent to you – the amount should have been \$250, but I think Lynette will correct that in the invoice that you will get from her.

Regards

Corne Corne Schutte PhD FSAIIE PrEng Voorsitter & Mede-professor Chairman & Associate Professor Departement Bedryfsingenieurswese Department of Industrial Engineering

Tel: +27 21 808 3617 | Faks/Fax: +27 21 808 4245 | Sel/Mobile: +27 82 4477780 E-pos/E-mail: <u>corne@sun.ac.za</u>

Universiteit Stellenbosch University Privaat Sak/Private Bag X1 Matieland 7602 Suid-Afrika/South Africa www.ie.sun.ac.za



From: Muhammad Marsudi <<u>muh_marsudi@yahoo.co.uk</u>> Reply-To: Muhammad Marsudi <<u>muh_marsudi@yahoo.co.uk</u>> Date: Wednesday, March 26, 2014 at 8:20 PM To: C Schutte <<u>corne@exchange.sun.ac.za</u>> Subject: Re: [SAJIE/636] Editor Decision

Dear Prof.,

Thank you for your information about our paper, and I will do everything soon to publish the paper on SAJIE as your request.

Best regards,

Marsudi

On Wednesday, 26 March 2014, 13:14, Prof Corné Schutte <<u>corne@sun.ac.za</u>> wrote:

DR. MUHAMMAD MARSUDI:

Your article "CYCLE TIME ANALYSIS OF TIPPING TRAILER FRAME: A Case Study at a Heavy Equipment Industry" has been considered and deemed suitable for publication in The South African Journal of Industrial Engineering. The article will be sent of language (copy) editing.

One aspect needs updating - you need to update the email addresses to institution email addresses (no Yahoo email addresses allowed), before we can publish this. This was due to abuse where an author was misrepresented last year. Can you please update the contact details in the attached paper as per template (also attached), as well as in the record meta-data? The attached paper also includes minor changes suggested.

The publication fee of R2 000 is now payable. An invoice will be sent under separate cover.

Payment should be made to the following bank account:

Bank: ABSA Account holder: SAIIE Account number: 4053529932 Branch number: 632005 SWIFT: ABSAZAJJ

Prof Corne Schutte Editor: SAJIE

Reviewer A:

Reviewer B:

The paper is improved a lot and well done.

South African Journal of Industrial Engineering <u>http://sajie.journals.ac.za</u> admin@saiie.co.za

The integrity and confidentiality of this email is governed by these terms / Hierdie terme bepaal die integriteit en vertroulikheid van hierdie epos. <u>http://www.sun.ac.za/emaildisclaimer</u>

The integrity and confidentiality of this email is governed by these terms / Hierdie terme bepaal die integriteit en vertroulikheid van hierdie epos. http://www.sun.ac.za/emaildisclaimer

Re: [SAJIE/636] Editor Decision

From: Muhammad Marsudi (muh_marsudi@yahoo.co.uk)

- To: corne@sun.ac.za
- Cc: Iynette.pieterse@up.ac.za; admin@saiie.co.za
- Date: Sunday, 30 March 2014 at 18:04 GMT+8

Dear Prof.,

I have made payment yesterday (\$250, proof of payment is attached) for publication fee: "Cycle time analysis of tipping trailer frame: A case study at a heavy equipment industry" #636. I confused about Invoice Number: IN100939 or IN100393? (Please see the attached file). I attach also the final manuscript (minor changes with the green color, based on the template, institution e-mail address).

Anyway, I need your help to send to me the formal statement/ paper from SAJIE Journal that mention that our manuscript has been accepted to be published and also information about issuing and volume number of publication.

Thank you Prof.

Best regards,

Marsudi

On Thursday, 27 March 2014, 16:56, Muhammad Marsudi <muh_marsudi@yahoo.co.uk> wrote:

On Thursday, 27 March 2014, 10:24, "Schutte, Corne, Prof <corne@sun.ac.za>" <corne@sun.ac.za> wrote: Marsudi

Thanks – if I can get this by early next week, and the payment is processed, I may be able to get this into the May edition (we have one or two skots open in this edition.)

We noticed a mistake in the email sent to you – the amount should have been \$250, but I think Lynette will correct that in the invoice that you will get from her.

Regards

Corne Corne Schutte PhD FSAIIE PrEng Voorsitter & Mede-professor Chairman & Associate Professor Departement Bedryfsingenieurswese Department of Industrial Engineering

Tel: +27 21 808 3617 | Faks/Fax: +27 21 808 4245 | Sel/Mobile: +27 82 4477780 E-pos/E-mail: <u>corne@sun.ac.za</u>

Universiteit Stellenbosch University